



## 91 Draw Latch

Under-center · Adjustable

- Adjustable grip
- Kick out feature disengages from keeper
- Secondary catch option to prevent accidental opening

### Material and Finish

Stainless steel or steel, zinc plated

### Performance Details

Maximum working load:

With 91-600 keeper:

1325 N (300 lbf)

With K4-2338 keeper:


1550 N (350 lbf)

### Installation Notes


M4 (No. 8) screws (not supplied)

### Latch

#### Exposed Base (Secondary catch option shown)



#### Concealed Base (Hasp option shown)



Other options available. For complete details on variety, part numbers, installation and specification, go to




[www.southco.com/91](http://www.southco.com/91)

Dimensions in millimeters (inch) unless otherwise stated


**southco**  
CONNECT · CREATE · INNOVATE

## Keepers


### Concealed




### Exposed




### Exposed Base and Concealed Keeper




### Exposed Base and Exposed Keeper



### Concealed Base and Concealed Keeper



### Concealed Base and Exposed Keeper



### B Base type

- 1 Concealed
- 2 Concealed with secondary catch
- 3 Concealed with padlock hasp
- 5 Exposed
- 6 Exposed with secondary catch
- 7 Exposed with padlock hasp

### F Finish

- 07 Steel, zinc plated
- 52 Stainless steel

91 - 5 - **B** 2 - **F**

| Finish                 | Keeper Part Number |            |
|------------------------|--------------------|------------|
|                        | Concealed          | Exposed    |
| Steel                  | 91-600-07          | K4-2338-07 |
| Stainless Steel        | 91-600-52          | K4-2338-52 |
| Stainless Steel, Black | 91-600-63          | K4-2338-63 |

Dimensions in millimeters (inch) unless otherwise stated

### Part Number Selection

Order latch and keeper separately

For latch part number see builder

For keeper part number see table

Other options available. For complete details on variety, part numbers, installation and specification, go to

[www.southco.com/91](http://www.southco.com/91)



## 91 Draw Latch

Under-center · Adjustable

- Adjustable grip
- Secondary catch option to prevent accidental opening

### Material and Finish

Stainless steel or steel, zinc plated

### Performance Details

Maximum working load

Stainless steel: 710 N (160 lbf)


Steel, zinc plated: 1200 N (270 lbf)

### Installation Notes

Ø 2.5 (No. 3) screws (not supplied)


### Latch

#### Standard



Latch shown with 91-630-XX exposed keeper


#### Secondary Catch





Latch shown with 91-634-XX concealed keeper

### Keeper

#### Exposed



#### Concealed



### Part Number

See table

Order latch and keeper separately

Other options available. For complete details on variety, part numbers, installation and specification, go to



[www.southco.com/91](http://www.southco.com/91)

| Material        | Latch Part Number |                 |
|-----------------|-------------------|-----------------|
|                 | Standard          | Secondary Catch |
| Steel           | 91-351-07         | 91-361-07       |
| Stainless Steel | 91-351-52         | 91-361-52       |

| S                     | Keeper Type |           |                 |
|-----------------------|-------------|-----------|-----------------|
|                       |             | Steel     | Stainless Steel |
| 39 - 47 (1.53 - 1.85) | Concealed   | 91-634-07 | 91-634-52       |
| 52 - 60 (2.04 - 2.36) | Exposed     | 91-630-07 | 91-630-52       |

Dimensions in millimeters (inch) unless otherwise stated

**southco**  
CONNECT · CREATE · INNOVATE

[www.southco.com/91](http://www.southco.com/91)




| Type                    | Part Number |                 |
|-------------------------|-------------|-----------------|
|                         | Steel       | Stainless Steel |
| Standard Latch          | 91-752-07   | 91-752-52       |
| Latch with Padlock Hasp | 91-772-07   | 91-772-52       |

- Assembly complete with keeper



- Assembly complete with keeper



| Type                    | Part Number |
|-------------------------|-------------|
| Standard Latch          | 91-812-52   |
| Latch with Padlock Hasp | 91-832-52   |

 **southco**<sup>®</sup>  
CONNECT · CREATE · INNOVATE

Dimensions in millimeters (inch) unless otherwise stated